The top 100 colleges of NIRF 2022 and what they spend

Gangan Prathap

Colleges are the third layer of higher educational institutions in India. They contribute to the highest number of graduates but only a small portion of the country's academic research output. Here we report on the outlay costs of the top 100 colleges in the latest National Institutional Ranking Framework (NIRF) rankings. The list is dominated by three states, viz. Tamil Nadu (32 in the top 100), Delhi (32) and Kerala (17), while the remaining 19 are from a few more states. The NIRF 2022 data show how the two main inputs, faculty size and expenditure, vary across the four cohorts.

Of the 50,000 and more colleges and standalone institutions in India, only 2270 participated in the National Institutional Ranking Framework (NIRF) 2021 (https://www. nirfindia.org/2022/CollegeRanking.html). Among these, NIRF identified the top 100 for 2022. In this list, Tamil Nadu had 32 colleges (33 in 2021), Delhi also had 32 colleges (up from 28 in 2021) and Kerala had 17 colleges (down from 19 last year). These are several times their respective shares of population or GDP. The remaining 19 colleges (down from 20 last year) came from a few more states, while most of the other states and Union Territories were unrepresented.

Academic research in India is driven mainly by Government autonomous bodies (e.g. establishments of the CSIR, DST, Atomic Energy, DRDO, etc.), and the tertiary higher education sector represented by the premier institutions of national importance like the IITs, NITs, IISERs, and the universities which are much more generously funded compared to the 50,000 or more subaltern institutions like the various colleges and stand-alone institutions. Most of these colleges are teaching-intensive and only a minuscule portion of them has a research presence. In this study, we look at the two main inputs: faculty size and budgetary allocations. No attempt to rank is proposed here. Instead, we compare funding and teaching resources across four main cohorts: Delhi, Tamil Nadu, Kerala, and a heterogeneous cluster of the remaining 19 colleges.

Curating input indicators from NIRF 2022 data

There are two proxies for input relating to finance and workforce. The budgetary allocation is given under two heads as capital expenditure (CapEx) and operational expenditure (OperEx) for the three-year period (2018-2021) immediately preceding the year of ranking (2022). The total expenditure is simply the sum of these two outlays. In most instances, the operational expenditure covers the running costs like faculty salaries, electricity and water costs, maintenance costs, etc., while capital expenditure mainly covers state-of-the-art equipment and facilities that contribute to the ability of an institution to perform teaching and research of high quality. In the case of these colleges, we look at the outlay costs needed to bring high-end higher education to elite students. For most of the colleges considered here, CapEx, which excludes expenditure on the construction of buildings, is small. Typically, salary costs, the major component of OperEx, are about 80-90% of the total cost. The workforce input is simply the number of faculty members reported by the institution to NIRF.

Results and discussion

The curation is done using Excel commands and the data are taken directly from the NIRF pdf files for each college in the top 100 for 2022. For each college, we have two key size-dependent input parameters: the total expenditure, TotEx and faculty strength. It is convenient to classify the top 100 into four cohorts: Tamil Nadu, Delhi, Kerala, and the rest of India (RoI). The curated data are available with the author upon request. Table 1 summarizes academic and budgetary inputs and outputs for the four main cohorts.

The cost per student per year (Rs lakhs, shown in parentheses) is as follows:

Tamil Nadu (0.55), Delhi (1.29), Kerala (0.70), RoI (0.63), NIRF top 100 colleges (0.59) and India without Delhi (0.59).

The cost per faculty per year (Rs lakhs, shown in parentheses) is as follows:

Tamil Nadu (11.03), Delhi (27.64), Kerala (12.85), RoI (12.78), NIRF top 100 colleges (15.90), and India without Delhi (11.68).

Cohort	CapEx (Rs in crores)	OperEx (Rs in crores)	TotEx (Rs in crores)	SalEx (Rs in crores)	SalEx/ TotEx	Students UG + PG	Faculty	Cost per student per year (Rs in lakhs)	Cost per faculty per year (Rs in lakhs)
Tamil Nadu	161.98	2745.29	2907.27	2174.95	0.75	177,534	8783	0.55	11.03
Delhi	68.15	4030.61	4098.75	3761.89	0.92	105,876	4943	1.29	27.64
Kerala	73.94	860.67	934.61	763.88	0.82	44,214	2424	0.70	12.85
Rest of India	55.61	914.58	970.18	785.92	0.81	51,064	2531	0.63	12.78
NIRF top 100 colleges	359.67	8551.15	8910.82	7486.63	0.84	378,688	18,681	0.78	15.90

COMMENTARY

It may be worth mentioning that IIT Madras, which has been consistently ranked first in the top 100 overall had a cost per student per year of Rs 13.62 lakhs and cost per faculty per year of Rs 178.99 lakhs, the highest in the country. This is nearly 25 and 16 times the cost for a college from the top 100 in Tamil Nadu. This is the price to pay for excellence at this level.

The cost of maintaining a faculty or a student in Delhi is nearly twice that of the other three cohorts. CapEx is typically less than 8% of the total expenditure and indicates that these colleges perform very little research. Delhi has the lowest ratio at about 2% and Kerala has the highest at 8%. Delhi's significant showing in the NIRF top 100 is at the double the outlay cost and with a

third of the relative CapEx to TotEx ratio. For IIT Madras, it is 18.3%.

At this stage, one more refinement can be brought in. These college rankings are now available from 2017. However, in 2017, there was hesitancy on the part of some of the leading colleges to participate. As a result, many colleges ranked in the top 100 in 2017 failed to qualify as the competition became tougher. It is a simple matter of curation to consolidate the results from 2018 to 2022 to see which colleges have been in the top 100 for all five years. There are 65, of which 27 (41.5%) are from Tamil Nadu, 22 (33.8%) from Delhi and 8 (12.3%) from Kerala. Andhra Pradesh (1), Karnataka (1), Gujarat (1), Maharashtra (1) and West Bengal (4) make up the rest.

Concluding remarks

With the data available in the public domain, we have looked at what are arguably the elite colleges of India by grouping them into four main cohorts. Unlike other ranking exercises, we have focused on what it costs in terms of faculty and spending to stay in the elite list of the top 100 colleges. The cost of maintaining a faculty or a student in one of the elite colleges in Delhi is nearly twice that of the other three cohorts.

Gangan Prathap is in the A. P. J. Abdul Kalam Technological University, Thiruvananthapuram 695 016, India. e-mail: gangan_prathap@hotmail.com

SCIENTIFIC CORRESPONDENCE

Dichogamy and reproductive success in *Tara spinosa* (Caesalpinioideae, Leguminosae)

Studies on the reproductive strategies of plants are important as they allow us to understand the life cycles of various plant species and provide clues regarding the processes of their macroevolution^{1,2}. Thus, it is necessary to understand the causes for the functionality of different mating systems in plants, even in closely related species, for example, several species within Fabaceae³, which have been poorly studied in terms of their reproductive biology^{4,5} and taxonomic relationships⁶.

In Fabaceae, *Caesalpinia sensu lato* comprises 150 species⁶, of which only a few have their floral biology researched⁷⁻¹². The genus *Caesalpinia* is characterized by flowers with yellow colour, bilateral symmetry, nectar guide and nectar production, characters strongly associated with allogamy^{4,13}. Further, the flowers have mechanisms that reduce autogamy through dichogamy and self-incompatibility^{13–16}.

Tara spinosa (Feuillee ex Molina) Britton & Rose, formerly known as *Caesalpinia spinosa* (Feuillee ex Molina) Kuntze, is valued because the pods are a source of tannins while the seeds are a source of gums. It is also used in traditional medicine since the pre-Columbian era^{7,10,11,17}. The

Peruvian law treats this species as Vulnerable¹⁸, because it is mostly exploited by wild populations. Several studies have been made on the reproductive and economic aspects of *T. spinosa*¹⁹, but none on reproductive ecology. Therefore, the present study is aimed at evaluating its reproductive success, fecundation effectiveness, and the functionality of dichogamy.

The study was conducted with flowers collected at random from individuals growing in the cultivation at Fundo Canchacalla, at 2200–3215 m amsl, district of Ambo, Huánuco Department, Peru. To determine the reproductive success, fruit set rate (r_c) was estimated by dividing the average number of fruits produced per raceme by the average number of flowers¹². Fecundation effectiveness was estimated by dividing the number of pollen grains by the total ovules per flower²⁰. Dichogamy was estimated according to the Dafni method^{21,22}.

On an average, *T. spinosa* produces 80.3 ± 27.14 flowers and 19.9 ± 11.23 pods per raceme. The coefficient of variation in both cases was very high, which shows that the number of flowers and pods differs greatly from raceme to raceme. The r_c value was 23.89%; a low rate indicating that most

flowers in *T. spinosa* do not reach fructification. The number of ovules per flower was 6.31 ± 0.73 , with a minimum of 2 and a maximum of 8. In most cases, all ovules reached the seed stage after fecundation, as shown by a seed-ovule rate of 90.1%. Reaction to hydrogen peroxide was positive in 19 out of 20 flowers assessed, indicating that the receptivity of stigmata begins in the flower bud.

In T. spinosa, the low fruit set rate appears to be an indication of self-incompatibility as in other species of genus Caesalpinia s. l. The flower number per raceme was similar to that found in other species within the group^{13,15}. Caesalpinia crista L., produced a very high number of flowers per panicle¹², while Guilandina bonduc (L.) Roxb. had a very low number of flowers per raceme¹⁶. In *T. spinosa*, although fruit set rate r_c was low, it was higher than that found in other species of *Caesalpinia s. l.*^{3,5,12,13,15,16}. This result could be explained by the rate of autogamy in T. spinosa, which may corroborate the pollen to ovule rate estimated for this species^{22,23}, since it has been found that some members of the family Fabaceae can produce endogamous seeds without foreign pollen³, despite the fact that self-incompatibility