



ISSN 0375-1511

Rec. zool. Surv. India : 113(Part-4): 181-192, 2013

## SPECIES OF THE ORDER TRICHOPTERA REPRESENTED IN THE NATIONAL ZOOLOGICAL COLLECTION OF THE ZOOLOGICAL SURVEY OF INDIA, KOLKATA

\*I. J. GUPTA AND MRIDULA MAJUMDAR  
Zoological Survey of India, M-Block  
New Alipore, Kolkata-700 053

The Order Trichoptera includes a total of 13,574 species, 308 subspecies in 609 genera under 47 families known over the world (Morse, 2011). Sharma and Chandra (2010) listed 1046 species / subspecies belonging to 94 genera and 27 families occurring in India. Of the Indian trichopterans, 166 species/subspecies under 33 genera and 15 families represented in the National Zoological Collection of the Zoological Survey of India have been catalogued. This collection also includes type specimens referring to Type (2 spp.), Type series (2 spp.), Holotypes (9 spp.), Allotypes (2 spp.) and Paratypes (77 spp.) of 86 species/ subspecies. The classification and nomenclature have been followed after Morse (2012).

Order TRICHOPTERA Kirby, 1813  
Superfamily PSCHOMYIOIDEA Ivanov, 2002  
A. Family DIPSEUDOPSIDAE Ulmer, 1904  
Subfamily DIPSEUDOPSINAE Ulmer, 1904

I Genus *Dipseudopsis* Walker, 1852

1. *Dipseudopsis doehleri* Ulmer, 1929

India: Meghalaya: West Garo Hills, Kherapara, P.W.D.I.B. (2 exs).

2. *Dipseudopsis indica* McLachlan, 1875

India: Meghalaya: East Garo Hills, Tasek, F.R.H., Sangsok (3 exs); West Garo Hills, Kherapara, P.W.D.I.B. (3 exs).

3. *Dipseudopsis triclavata* Martynov, 1935

India: Meghalaya: West Garo Hills, Shibbari, (2 exs).

Scientist -C (Retired)

Subfamily HYALOPSYCHINAE Lestage, 1925

II Genus *Hyalopsyche* Ulmer, 1904

4. *Hyalopsyche sachalinica* Martynov, 1910  
(Syn. *Hyalopsyche parsula* Martynov, 1935)

India: Meghalaya: East Garo Hills, Tasek, F.R.H.I.B., Sangsok (2 exs); West Garo Hills, Shibbari, F.R.H.I.B. (1 ex).

B. Family POLYCENTROPODIDAE

Ulmer, 1903

Subfamily POLYCENTROPODINAE  
Ulmer, 1903

III Genus *Plectrocnemia* Stephens, 1836

5. *Plectrocnemia obliquofasciata*  
Martynov, 1935

India: Uttarakhand, Garhwal, Pandukeshwar, 5,500 ft (1 ex); Almora, Dhakwani, 11,000 ft (1 ex); Garhwal, Vacham, 6,500 ft (1 ex). West Bengal: Darjiling (2 exs).

Superfamily HYDROPSYCHOIDEA

Curtis, 1835

C. Family HYDROPSYCHIDAE  
Curtis, 1835

Subfamily ARCTOPSYCHINAE  
Martynov, 1924

IV Genus *Arctopsyche* McLachlan, 1868

6. *Arctopsyche lobata* Martynov, 1930

India: West Bengal: Darjiling, 2000 ft. (3 exs).

Subfamily DIPLECTRONINAE Ulmer, 1951

V Genus *Diplectrona* Westwood, 1840

7. *Diplectrona marginata* (Betten, 1909)  
 India: Uttarakhand: Garhwal, Khumyara, 4,000 ft (10 exs). West Bengal: Darjiling (1ex), Kurseong, (1ex).
8. *Diplectrona orientalis* (Betten, 1909)  
 (Syn. *Hydromanicus orientalis* Betten, 1909)  
 (Type)  
 India: West Bengal: Darjiling, Kurseong (1 ex).
- Subfamily HYDROPSYCHINAE Curtis, 1935  
 VI Genus *Cheumatopsyche* Wallengren, 1891
9. *Cheumatopsyche columnata* Martynov, 1935  
 India: Meghalaya: East Garo Hills, Tasek, F.R.H.I.B., Sangsok (1 ex).
10. *Cheumatopsyche truncata* Martynov, 1935  
 India: Meghalaya: East Garo Hills, Tasek, F.R.H.I.B. (1ex); West Garo Hills, Tura, 1200-1500 ft (2 exs).  
 VII Genus *Hydromanicus* Brauer, 1865
11. *Hydromanicus spatulatus* Martynov, 1935  
 (Syn. *Hydatopsyche spatulata* Martynov, 1935)  
 India: Meghalaya: West Garo Hills, Shibbari P.W.D.I.B. (2 exs).
12. *Hydromanicus luctuosus* Ulmer, 1905  
 (Syn. *Hydromanicus truncatus* Betten, 1909)  
 India: Uttarakhand: Mandoli, 8,000 ft. (1 ex.). West Bengal, Darjiling (5 exs), Ghumti (1 ex), Sureil, 5000 ft. (1 ex), Kurseong, 1700 ft (1 ex),  
 VIII Genus *Hydropsyche* Pictet, 1834
13. *Hydropsyche indica* Betten, 1909  
 India: West Bengal: Darjiling, Reyang, F. R. H. Compound (11 exs), Kurseong (2 exs).
14. *Hydropsyche kaznakovi* Martynov, 1915  
 India: Uttarakhand: Knert Pass, 12,000 ft (1 ex); Kholara, 11,000 ft (1 ex); Garhwal Jelam, 9,000 ft (2 exs). West Bengal: Darjiling, Rangpo, F.R.H., 5,000 ft. (6 exs), 500m (5 exs), Kalimpong Agricultural Seed Farm (2 exs).  
 Subfamily MACRONEMATINAE Ulmer, 1905  
 TRIBE MACRONEMATINI Ulmer, 1905  
 IX Genus *Amphipsyche* McLachlan, 1872
15. *Amphipsyche bengalensis* Martynov, 1935  
 India: West Bengal: Kolkata (2 exs).
16. *Amphipsyche extrema* (Martynov, 1935)  
 (Syn. *Amphipsychella extrema* Martynov, 1935)  
 India: Meghalaya: East Garo Hills, Tasek, F.R.H.I.B., Sangsok (3 exs).
17. *Amphipsyche meridiana* Ulmer, 1909  
 (Syns. *Amphipsyche indica* Martynov, 1935; *Amphipsyche tricalcarata* Martynov, 1935)  
 India: Meghalaya: East Garo Hills, Tasek, F.R.H.I.B. (11 exs); West Garo Hills, Tura, 290m (5 exs). Uttar Pradesh: Almora, Dawli, 10,500 ft. (1 ex.); Mandoli, 8,000 ft. (1 ex.). Uttarakhand: Khumyara, 4,000 ft (1 ex); Malari, 10,000 ft (1 ex). West Bengal: Bankura, Mukutmanipur (39 exs).
- X Genus : *Macrosternum* Kolenati, 1859
18. *Macrosternum fastosum bifasciatum*  
 (Martynov, 1935)  
 (Syn. *Macronema fastosum bifasciatum* Martynov, 1935)  
 India: West Bengal: Darjiling: Poshok, 2000 ft (1ex).
19. *Macrosternum fastosum fastosum* (Walker, 1852)  
 (Syn. *Macronema fastosum fastosum* Walker, 1852)  
 India: West Bengal: Darjiling, Kurseong (2 exs).
20. *Macrosternum pseudoneura* (Brauer, 1865)  
 (Syn. *Macronema pseudoneura* Brauer, 1865)  
 India: Karnataka: Mysore, Shimoga District, Bhadravati (1ex). West Bengal: Jalpaiguri, Chelapata (1ex).
- XI Genus *Pseudoleptonema* Mosely, 1933,  
 21. *Pseudoleptonema quinquefasciatum*  
 (Martynov, 1935)  
 (Syn. *Macronema quinquefasciatum* Martynov, 1935)  
 India: Uttarakhand: Rishikesh, 1200 ft (1 ex); Manghat, 3,800 ft (5 exs).
- TRIBE POLYMORPHINISINI Lestage, 1936
- XII Genus *Aethaloptera* Brauer, 1875  
 22. *Aethaloptera gracilis* (Martynov, 1935)  
 (Syn. *Paraethaloptera gracilis* Martynov, 1935)  
 India: Meghalaya: East Garo Hills, Tasek, F.R.H.I.B., Sangsok (1ex). West Bengal: Birbhum, Mallarpur, (1 ex).

23. *Aethaloptera sexpunctata* (Kolenati, 1859)

India: Meghalaya: West Garo Hills, Shibbari, P.W.D.I.B. (6 exs). West Bengal: Darjiling, 2123 m (1 ex); Murshidabad, Azimganj (1 ex), Jangipur (1 ex); Bardhaman, Bolgana (1 ex); West Dinajpur, Raiganj, Kod Gram (1 ex); Malda, Sahapur (1 ex).

## Superfamily : GLOSSOMATOIDEA

Wallengren, 1891

D. Family : GLOSSOMATIDAE Wallengren, 1891

Subfamily : AGAPETINAE Martynov, 1913  
XIII. Genus : *Agapetus* Curtis, 1834

24. *Agapetus triangularis* Martynov, 1935

India: Uttarakhand: Dehradun, Rishikesh, 1200 ft (1 ex).

Subfamily : GLOSSOSOMATINAE Wallengren, 1891

TRIBE GLOSSOSOMATINI Wallengren, 1891  
XIV. Genus : *Glossosoma* Curtis, 1834

25. *Glossosoma atchintitanum* Schmid, 1971  
(Paratype)

India: Uttarakhand: Tehri, Juladi, 3500 ft. (1 ex).

26. *Glossosoma fissum* Martynov, 1935

India: Meghalaya: Shillong, Risa Colony (1 ex). West Bengal: Darjiling, Ghoombhanjan, 7000 ft., Youth Hostel (2 exs).

Superfamily : LEPTOCEROIDEA Leach, 1815  
E. Family : CALAMOCERATIDAE Ulmer, 1905  
Subfamily : ANISOCENTROPODINAE Lestage, 1936

XV Genus : *Anisocentropus* McLachlan, 1863

27. *Anisocentropus salsus* (Betten, 1909)  
(Syn. *Ganonema salsum* Betten, 1909)

India: Assam: Bhairakund (1 ex). Uttarakhand: Kumaon Hills (4 exs), Ukhul (1 ex).

Subfamily : CALAMOCERATINAE Ulmer, 1905

XVI Genus : *Ganonema* McLachlan, 1866

28. *Ganonema fuscipenne* (Albarda, 1881)  
(Syns. *Asotocerus fuscipenne* Albarda, 1881;  
*Ganonema brunneum* Ulmer, 1905)

India: Assam: Sibsagar (1 ex). Himachal Pradesh: Kulu (2 exs). Uttarakhand: Kumaon Hills (1 ex).

29. *Ganonema sinuatum* (Martynov, 1936)

(Syn. *Asotocerus sinuatus* Martynov, 1936)

India: Tamil Nadu: Nilgiri Hills (1 ex).

F. Family : LEPTOCERIDAE Leach, 1815

Subfamily : LEPTOCERINAE Leach, 1815

TRIBE LEPTOCERINI Leach, 1815

XVII Genus : *Leptocerus* Leach, 1815

30. *Leptocerus distinguendus* Kirschbaum, 1868

India: Uttarakhand: Garhwal, Trijuginarayan, 7500 ft (1 ex).

TRIBE NECTOPSYCHINI Morse, 1981

XVIII Genus : *Parasetodes* McLachlan, 1880

31. *Parasetodes respersellus* (Rambur, 1842)  
(Syn. *Parasetodes respersella* (Rambur, 1842))

India: Meghalaya: East Garo Hills, Rongrengiri F.R.H. (10 exs); West Garo Hills, Shibbari P.W.D.I.B. (8 exs).

TRIBE OECITINI Silfvenius, 1905

XIX Genus : *Oecetis* McLachlan, 1877

32. *Oecetis indivisa* (Martynov, 1936)  
(Syn. *Setodellina indivisa* Martynov, 1936)

India: Meghalaya: East Garo Hills, I Km west of I. B. (2 exs).

33. *Oecetis mahadeva* (Banks, 1913)

(Syn. *Oecetina mahadeva* Banks, 1913)

India: Meghalaya: East Garo Hills, I Km west of I. B. (1 ex).

TRIBE TRIAENODINI Morse, 1981

XX Genus : *Adicella* McLachlan, 1877

34. *Adicella biramosa* Martynov, 1936

India: Meghalaya: East Khasi Hills, Shillong Peak, 8400 ft (1 ex); West Garo Hills: Kherapara (1 ex).

Subfamily : TRIPLECTIDINAE Ulmer, 1906

TRIBE TRIPLECTIDINI Ulmer, 1906

XXI Genus : *Triplectides* Kolenati, 1859

35. *Triplectides magnus* (Walker, 1852)

India: Bihar: Purnea District, Katihar (1 ex). Meghalaya: East Garo Hills, Tasek, F. R. H., Sangsok (2 exs). West Bengal: Birbhum: Eaglegram Forest, Gopalpur (1 ex); Calcutta (now Kolkata) (2).

G. Family : LIMNOCENTROPIDIDAE Tsuda,  
1942

XXII Genus *Limnocentropus* Ulmer, 1907  
36. *Limnocentropus himalayanus*

Martynov, 1930

[Syn. *Limnocentropus insolitus himalayanus*  
(Martynov, 1930)]

India: Uttarakhand: Mandoli, 8,000 ft (3 exs);  
Panwali, Trifugenpass, 11,500 ft (2 exs);  
Trijuginarayan, 7,500 ft (3 exs).

H. Family ODONTOCERIDAE

Wallengren, 1891

Subfamily ODONTOCERINAE

Wallengren, 1891

XXIII Genus *Marilia* Mueller, 1880  
37. *Marilia mixta* (Hagen, 1858)

(Syn. *Molanna mixta* Hagen, 1858; *Marilia ceylanica* Martynov, 1936)

India: Uttarakhand: Palwara, 4,300 ft (2 exs).  
West Bengal: Darjiling, Singla, F.R.H. (1 ex).

Superfamily LIMNEPHILOIDEA Kolenati, 1848

I. Family GOERIDAE Ulmer, 1903

Subfamily LARCASINAE Navas, 1917

XXIV Genus *Larcasia* Navas, 1917

38. *Larcasia assamica* Schmid, 1965  
(All Paratypes)

India: Manipur: Pushing (1 ex); Sirohikashong (15 exs); Tangkhul (1 ex).

J. Family LIMNEPHILIDAE Kolenati, 1848

Subfamily LIMNEPHILINAE Kolenati, 1848

TRIBE PSEUDOSTENOPHYLACINI

Schmid, 1955

XXV Genus : *Pseudostenophylax*

Martynov, 1909

39. *Pseudostenophylax micraulax*  
(McLachlan, 1878)

(Syn. *Stenophylax micraulax* McLachlan, 1878)

India: Uttarakhand: Chamroo, 14,000 ft. (7 exs.); Dhatkwani, 11,000 ft. (4 exs.); Gangria, 10,000 ft (7 exs), Ghastoli, 12,000 ft (2 exs); Kedarnath, 11,500 ft. (1 ex); Khartooloma, Kharyongra (1 ex); Magoochatti, 10,000 ft (1 ex); Malari, 9,000 ft (2 exs), 10,000 ft. (1 ex); Mana, 10,500 ft (4 exs); Tehri, Telhari, 3,500 ft (1 ex),

Ukhal, 9,000 ft (2 exs).

40. *Pseudostenophylax mitchelli* (Mosely, 1936)  
(Syn. *Stenophylina mitchelli* Mosely, 1936)

India: Uttarakhand: Kedarnath, 11,500 ft (4 exs); Khartooloma, Kharyyonma, 17,800 ft (1 ex); Mana, 10,500 ft (5 exs); Paudor, 8,000 ft (1 ex); Shapuk, 13,000 ft. (4 exs).

Superfamily PHILOPOTAMOIDEA  
Stephens, 1829

K. Family PHILOPOTAMIDAE Stephens, 1829

Subfamily PHILOPOTAMINAE Stephens, 1829

XXVI Genus *Dolophilodes* Ulmer, 1909

41. *Dolophilodes indica* Martynov, 1935

India: Uttarakhand: Kumaon Hills (1ex);  
Pouri Garhwal, Mandoli, 8,000 ft (1 ex). West  
Bengal: Darjiling (1ex).

Subfamily CHIMARRINAE Rambur, 1842

XXVII Genus *Chimarra* Leach, 1829

42. *Chimarra aberrans* Martynov, 1935

(Syn. *Chimarrha aberrans* Martynov, 1935)

India: West Bengal: Darjiling, Singla, Goke,  
F.R.H. Compound (1 ex). Darjiling, (1 ex).

43. *Chimarra diaphana* Ghosh &  
Chaudhury, 1998

India: West Bengal: Darjiling, Goomti near  
Kurseong, 1250m, at light 1 ex (Holotype), 1 ex  
(Allotype), 3 exs (Paratypes).

44. *Chimarra kumaonensis* Martynov, 1935

(Syn *Chimarrha kumaonensis* Martynov, 1935)

India: West Bengal: Darjiling, Hima Falls, 4  
Km west of Ghoom, Hill Forest, 2150m (1 ex).

45. *Chimarra nepalensis* Kimmins, 1964

India: Uttarakhand: Badrinath, 10,000 ft (1 ex), Chandrapuri, 2,200 ft (1 ex), Dhaktala, 8,000 ft (1 ex), Gangria, 10,000 ft (1 ex), Jelam, 9,000 ft (3 exs), Malari, 10,000 ft (2 exs).

46. *Chimarra reyangensis* Ghosh &  
Chaudhury, 1998

India: West Bengal: Darjiling, Reyang, F.R.H.,  
275m, 1 ex (Holotype), 1 ex (Allotype), 3 exs  
(Paratypes).

L. Family STENOPSYCHIDAE Martynov, 1924  
 Subfamily STENOPSYCHINAE

Martynov, 1924

XXVIII Genus *Stenopsyche* McLachlan, 1866  
 47. *Stenopsyche benaventi* Navas, 1934

(Syn. *Stenopsyche composita* Martynov, 1936)

India: Uttarakhand: Almora, Vacham, 6,500 ft. (1 ex).

48. *Stenopsyche griseipennis* McLachlan, 1866

(Syn. *Stenopsyche quadrilobata* Martynov, 1935)

India: Himachal Pradesh: Kulu (1 ex). Sikkim: Sikkim (4 exs). Tamil Nadu: Nilgiri Hills (22 exs). Uttarakhand: Dangchawra, 2,000 ft. (1 ex); Mana, 10,500 ft (2 exs). West Bengal: Darjiling (47 exs); Kalimpong (1 ex); Kurseong (2 exs); Reyang F.R.H. Compound (1 ex), 275m (1 ex); Singla, Goke F.R.H. Compound (1 ex), Goke F.R.H. Compound, Singla (1 ex); Tukdah F.R.H. Compound (2 ex), 7500 ft. (1 ex).

49. *Stenopsyche himalayana* Martynov, 1926

India: Uttarakhand: Ghastoli, 12,000 ft (2 exs), Jagroo, 17,000 ft (2 exs), Korai Pass, 12,000 ft (1 ex). Malari, 10,000 ft. (6 exs), Paudor, 8,000 ft (3 exs), Suraithota, 8,000 ft (5 exs), Saraswati, 15,000 ft (2 exs).

50. *Stenopsyche similis* Ulmer, 1927

[Syns. *Parastenopsyche montana* (Navas, 1932);  
*Parastenopsyche similis* (Ulmer, 1927)]

India: Uttarakhand: Rampur, 2,000 ft (4 exs). West Bengal: Darjiling, Singla, Goke, F.R.H. Compound (12 exs), Kurseong, 4700 ft. (1ex.). Punjab: Dalhousie, Kalatope Hills (1 ex).

51. *Stenopsyche splendida* Martynov, 1935

India: Meghalaya: East Khasi Hills, Cherrapunji (1 ex.). Sikkim: Gaysing (1 ex), Tarku (2 exs), Thanggou, 3750m (1 ex), Tumin, 1800m (1 ex). West Bengal: Darjiling, Reyang F. R. H. (2 exs); Singla, Goke, F.R.H. Compound (9 exs); Tukdah, F.R.H (2 exs). Uttarakhand: Garhwal, Gangria, 10,000 ft (2 exs); Manu, 10500 ft (1 ex); Rampur, 2,000 ft (4 exs).

Superfamily PHRYGANEOIDEA Leach, 1815  
 M. Family LEPIDOSTOMATIDAE Ulmer, 1903

Subfamily LEPIDOSTOMATINAE Ulmer, 1903

XXIX Genus *Lepidostoma* Rambur, 1842

52. *Lepidostoma heterolepidium*

(Martynov, 1936)

(Syn. *Indocrunoceia heterolepidia*  
 Martynov, 1936) (Type)

India: West Bengal: Darjiling (1 ex).

53. *Lepidostoma latum* (Martynov, 1936)

(Syn. *Dinarthrum latum* Martynov, 1936)

India: West Bengal: Darjiling (1 ex).

54. *Lepidostoma punjabicum* (Martynov, 1936)

(Syn. *Dinarthrum punjabicum* Martynov, 1936)

India: Uttarakhand: Dehradun (1ex).

XXX Genus *Paraphlegopteryx* Ulmer, 1907

55. *Paraphlegopteryx composita* Martynov, 1936

(Syn. *Paraphlegopteryx compositus*  
 Martynov, 1936)

India: Uttarakhand: Almora, Vacham, 6500 feet (1ex).

N. Family PHRYGANEIDAE Leach, 1815

Subfamily PHRYGANEINAE Leach, 1815

XXXI Genus *Eubasilissa* Martynov, 1930

56. *Eubasilissa maclachlani* (White, 1862)

India: West Bengal: Darjiling, 7000 ft (1 ex).

57. *Eubasilissa tibetana* Martynov, 1930

India: Uttarakhand: Almora, Ompata 2,500 ft. (1 ex); Chandrapuri 2,200 ft. (3 exs); Gardera, 9,500 ft. (1 ex). Panwali, Trifugenpass, 11,500 ft. (3 exs); Trijuginarayan 7,500 ft. (5 exs).

58. *Eubasilissa wigginsi* Ghosh & Chaudhury,

1987 (Holotype)

India: Uttarakhand: District Garhwal, Gangria, 10,000 ft. (1 ex).

Superfamily RHYACOPHILOIDEA

Stephens, 1836

O. Family RHYACOPHILIDAE Stephens, 1836

XXXII Genus *Himalopsyche* Banks, 1940

59. *Himalopsyche angorbui* Schmid, 1963

India: Sikkim: Lachung (7 exs); Chachu (7 exs), Singha (5 exs). Uttarakhand: Pouri Garhwal, Kosa (1 ex.), Binaikchatti (4 exs), Nagtal (8 exs).

60. *Himalopsyche bhagirathi* Schmid, 1963  
 India: Uttarakhand: Pouri Garhwal, Badrinath (7 exs), Gangria (4 exs), Hanumanchatti (4 exs), Moussapani (1 ex), Nagtal (8 exs), Ukhral (1 ex).
61. *Himalopsyche digitata* (Martynov, 1935)  
 (Syn. *Rhyacophila digitata* Martynov, 1935)  
 India: Meghalaya: Khasi Hills, Dunpep (1ex). Sikkim: Chamlong (2 exs.), Chungjam (2 exs), Karpanong (1 ex). Uttarakhand: Pouri Garhwal, Dwali (1 ex.), Hanumanchatti (1 ex). West Bengal: Darjiling 6 exs (Type series).
62. *Himalopsyche dolmasampa* Schmid, 1963  
 India: Sikkim: Banshal (1 ex), Changang (2 exs), Dolmasampa (50 exs), Rongsha (3 exs), Sasa (6 exs), Taling (1 ex), Thanggou, 3750 m (2 exs), Theulache (1 ex), Tongsing (5 exs), Yadang (3 exs), Zemp (4 exs).
63. *Himalopsyche gyamo* Schmid, 1963  
 India: Sikkim: Onglaktang (4 exs), Tikiachu (7 exs), Tongsing (8 exs).
64. *Himalopsyche hierophylax* Schmid, 1966  
 India: Uttarakhand: Pouri Garhwal, Badrinath (5exs), Kedarnath (9 exs).
65. *Himalopsyche horai* (Martynov, 1936)  
 (Syn. *Rhyacophila horai* Martynov, 1936)  
 India: Aunachal Pradesh: Amatulla, Kameng (4 exs), Gigaon (1 ex), Shergaon (2 exs). Punjab: Dalhousie, Punjpul Nallah, 1 ex (Holotype).
66. *Himalopsyche lanceolata* (Morton, 1900)  
 (Syn. *Rhyacophila lanceolata* Morton, 1900)  
 India: Manipur: Loni (1ex), Mapum (1ex), Margu (1ex), Marogi (2 exs), Mattibhang 1ex), Pal (1ex), Sirohikashong (1ex), Tangkhul, Hangdung (1ex). Sikkim: Lingtham (1ex).
67. *Himalopsyche lepcha* Schmid, 1963  
 (All Paratypes)  
 India: Sikkim: Yoksam (4 exs), Zamphuk 1 ex.
68. *Himalopsyche lungma* Schmid, 1963  
 (All Paratypes)  
 India: Uttarakhand: Pouri Garhwal, Saraswati (8 exs).
69. *Himalopsyche malenanda* Schmid, 1963  
 India: Sikkim: Bansbol (4 exs), Chamiteng (2 exs), Karpanong (1 ex), Lachen, 3500m (1 ex), Lachung (2 exs), Ramitagg (1 ex), Tongsing (1 ex).
70. *Himalopsyche tibetana* (Martynov, 1930)  
 (Syn. *Rhyacophila tibetana* Martynov, 1930)  
 India: Sikkim: Chachu (2 exs), Chamlong (4 exs), Kaieg (1 ex), Namnasa (2 exs), Singha (3 exs), Tangau (2 exs), Yaktang (1 ex), Yamtang (2 exs).
71. *Himalopsyche todma* Schmid, 1963  
 India: Uttarakhand: Pauri Garhwal, Phulkia (3 exs).
72. *Himalopsyche yongma* Schmid, 1963  
 India: Sikkim: Tongsing (3 exs), Tikiachu (2 exs).
- XXXIII Genus : *Rhyacophila* Pictet, 1834
73. *Rhyacophila anatina* Morton, 1900  
 India: Meghalaya: Cherrapunji (2 exs), Mowpran (1 ex), U.J.K.H, Mowpran (1 ex). Serrarium (1 ex). Sikkim: Singbong (1 ex),
74. *Rhyacophila ancestralis* Martynov, 1935  
 India: Meghalaya: Dunpep, 3 exs (Types), Laitynghat (4 exs), Rumthang (3 exs).
75. *Rhyacophila aureomaculata* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Shergaon (6 exs); Bilola (3 exs), Domkho (4 exs), Kalaktang (1 ex), Moshing (2 exs), Nyukmadong (5 exs), Rupa (1 ex).
76. *Rhyacophila aureostigma* Schmid, 1970  
 (All Paratypes)  
 India: Sikkim Chachu (2 exs), Lathong (1 ex), Manu (2 exs), Nanga (1 ex), Rapham (1 ex), Teng (3 exs).
77. *Rhyacophila bhotia* Schmid, 1970  
 (All Paratypes)  
 India: Uttarakhand: Garhwal, Ampata (1 ex), Dangchawra (1 ex); Dobalgaon (8 exs), Duldhar (4 exs), Gery (1ex.); Gourikund (4 exs.); Jaspur (2 exs.), Katkor (1 ex); Khumyara (6 exs.); Paukhal (1ex.); Nogani (1 ex); Pouri Garhwal, Simra (1ex),

Rampur (1 ex.); Tehri, Gawana (1 ex.); Tapaban (1 ex.); Kumaon, Loharket (2 exs). Uttar Pradesh: Agra (2 exs).

**78. *Rhyacophila bidens* Kimmins, 1953**

India: Arunachal Pradesh: Dirang Dzong (7 exs), Kameng: Rahung (1 ex), Phutang (1 ex). Manipur: Hkyumboum (1 ex), Sirohikashong (2 exs). Sikkim: Bakhim (1 ex), Chunggam (1 ex), Lachung (3 exs), Namnasa (4 exs), Ramtang (5 exs), Singha (3 exs), Tang (2 exs), Uttare (3 exs), Yoksam (4 exs), Zampuk (2 exs).

**79. *Rhyacophila chandzo* Schmid, 1970  
(All Paratypes)**

India: Arunachal Pradesh: Kameng, Jhumla (1 ex); Talung Dzong (1 ex).

**80. *Rhyacophila changpa* Schmid, 1970  
(All Paratypes)**

India: Sikkim: Bakhim (2 exs).

**81. *Rhyacophila chayulpa* Schmid, 1970  
(All Paratypes)**

India: Sikkim: Changpong (2 exs); Kambur (2 exs); Lingdok (1 ex); Lingtham (3 exs) Singhik (2 exs); Teng (2 exs); Yoksam (1 ex); Manu (1 ex).

**82. *Rhyacophila chayulpa ringmo* Schmid, 1970  
(All Paratypes)**

India: Arunachal Pradesh: Kameng, Dirang Dzong (2 exs).

**83. *Rhyacophila chayulpa tsetangpa* Schmid,  
1970  
(All Paratypes)**

India: Uttarakhand: Pouri Garhwal, Dogalbeta (4 exs); Tungnath (1 ex).

**84. *Rhyacophila chembo* Schmid, 1970  
(All Paratypes)**

India: Sikkim: Arunachal Pradesh: Kameng, Amatulla (1 ex); Bomdila, (1 ex), Chug (2 exs); Jhumla (1 ex); Nyukmadong (2 exs); Rahung (3 exs); Shergapa (1 ex). Uttarakhand: Pouri, Dhar (1 ex).

**85. *Rhyacophila chomoyuma* Schmid, 1970  
(All Paratypes)**

India: Arunachal Pradesh: Kameng, Chug (1 ex). Manipur: Hkyumboum (4 exs).

**86. *Rhyacophila choprai* Martynov, 1935  
(Holotype)**

India: Uttarakhand: Mussoorie (1 ex).

**87. *Rhyacophila chumikpa* Schmid, 1970  
(All Paratypes)**

India: Arunachal Pradesh: Kameng, Domkho (2 exs); Shergaon (1 ex).

**88. *Rhyacophila chungse*  
Schmid, 1970 (Paratype)**

India: Arunachal Pradesh: Kameng, Amatulla (Lex).

**89. *Rhyacophila curvata* Morton, 1900**

India: Meghalaya: U.J.K.H., Borghat (1 ex), Mowshin (1 ex), Muktapur (1 ex), Pynter (1 ex). Uttarakhand: Garhwal, Gangria, 10,000 ft (1 ex), Shapuk (1 ex).

**90. *Rhyacophila dgaldanpa* Schmid, 1970  
(All Paratypes)**

India: Arunachal Pradesh: Kameng, Chug (2 exs).

**91. *Rhyacophila dilatata* Martynov, 1935**

India: Himachal Pradesh: Shimla Hills, I ex (Holotype). Uttarakhand: Gangria, 10,000 ft (7 exs); Khartooloma, Kharyongra (1 ex), Magoochatti, 110,00 ft (1 ex); Pandor, 8,000 ft (1 ex); Ukhali, 9,000 ft (1 ex).

**92. *Rhyacophila dolingpa* Schmid, 1970  
(All Paratypes)**

India: Meghalaya: U.J.K.H. Mowpran, (1 ex.); Shnongodong (2 exs), Syndai (1 ex), Taranblang (3 exs.); Tharauyang (1 ex), Umpuh (3 exs.).

**93. *Rhyacophila dongkyapa* Schmid, 1970  
(All Paratypes)**

India: Arunachal Pradesh: Kameng, Amatulla (5 exs), Ankaling (1 ex); Bokhar (5 exs); Brukatanchem (1 ex); Chug (1 ex.); Dirang Dzong (5 exs.); Kujilalong (2 exs); Langduar (3 exs); Nyukmadong, (2 exs), Rohung (4 exs); Rupa, (1 ex). Sikkim: Chongung (1 ex); Dethang (2 exs); Hi (24 exs); Lingdok (8 exs); Lingsaka (2), Lingtham (8 exs); Mangung (2 exs); Manu (3 exs); Nanga (3 exs); Nampung (2 exs); Ramtang (1 ex); Samdong (5 exs); Singbong (14 exs); Tang (3 exs); Yoksam (9

exs), Zamphuk (2 exs). West Bengal: Banglabazar (2 exs); Barahata (9 exs); Digha (1 ex).

**94. *Rhyacophila drokpa drokpa* Schmid, 1970**  
(All Paratypes)

India: Arunachal Pradesh: Kameng, Amatulla (1 ex). Manipur: Mapum (1 ex). Meghalaya: Shnongodong, (1 ex).

**95. *Rhyacophila drokpa gurla* Schmid, 1970**  
(Paratype)

India: Uttarakhand: Garhwal, Tehri, Gawan (1 ex).

**96. *Rhyacophila drosampa* Schmid, 1970**  
(All Paratypes)

India: Meghalaya: U.J.K.H. Mowpran (1 ex); Shnongodong (1 ex).

**97. *Rhyacophila fletcheri* (Kimmings, 1952)**  
(Syn. *Trichophila fletcheri* Kimmings, 1952)

India: Sikkim: Lingdok (1 ex); Lingtham (3 exs), Mangung (1 ex), Tang (1 ex).

**98. *Rhyacophila gelukpa* Schmid, 1970**  
(All Paratypes)

India: Arunachal Pradesh: Kameng, Chug (1 ex), Dirang Dzong (2 exs), Jhumla (6 exs), Moshing (2 exs), Phutang (1 ex), Shergaon (1 ex), Taluk Dzong (2 exs). Sikkim: Chamiteng (1 ex.) (5 exs), Gay (1 ex), Lachung (7 exs), Rongne (1 ex), Tang (1 ex).

**99. *Rhyacophila gyaldzen* Schmid, 1970**  
(All Paratypes)

India: Manipur: Hanggo (1 ex); Parbang (1 ex).

**100. *Rhyacophila gyamo* Schmid, 1970**  
(Paratype)

India: Manipur: Sirohikashong (1 ex).

**101. *Rhyacophila gyaspa* Schmid, 1970**  
(All Paratypes)

India: West Bengal: Barahata (2 exs), Dilpa (2 exs).

**102. *Rhyacophila gyelbu* Schmid, 1970**  
(All Paratypes)

India: Manipur: Sirohikashong (5 exs).

**103. *Rhyacophila hingstoni* Martynov, 1930**

India: Sikkim: Chachu (1 ex), Rangpa (4 exs), Thomnachen (2 exs), Thomphyak (3 exs), Yadang (4 exs), Yahul (1 ex), Zeema (1 ex). Uttarakhand: Badrinath, 10,000 ft (1 ex); Bampa, 10,500 ft (2 exs); Gangria, 10,000 ft (6 exs); Khartooloma, 17,800 ft (1 ex); Magoochatti, 10,000 ft. (1 ex.); Shapuk, 13000 Ft (1 ex); Trijuginarayan, 7500 ft (1 ex).

**104. *Rhyacophila hobsoni* Martynov, 1930**

India: Sikkim: Chamiteng (4 exs), Karpanong (7 exs), Singha, (12 exs), Yamtang (2 exs).

**105. *Rhyacophila hydaspica* Schmid, 1959**

Arunachal Pradesh: Kameng, Chug (1 ex), Dirang Dzong (1 ex), Lih (6 exs), Rupa (1 ex); Salari, (2 exs). Uttarakhand: Pouri Garhwal, Koti (1 ex).

**106. *Rhyacophila inconspicua* Morton, 1900**

India: Meghalaya: U.J.K.U. Nongrim (1 ex).

**107. *Rhyacophila jayadurga* Schmid, 1970**  
(Paratype)

India: Tamil Nadu: Madras (now Chennai), Makurti (1 ex).

**108. *Rhyacophila kadaphes* Schmid 1959**

India: Uttarakhand: Garhwal, Bampa (1 ex.), Hanumanchatti (1 ex.), Kosa (1 ex.); Pouri, Timarsan (2 exs).

**109. *Rhyacophila kando* (Schmid, 1970)**  
(All Paratypes)

India: Arunachal Pradesh: Kameng, Phutang (3 exs). Uttarakhand: Garhwal, Dhar (2 exs); Gery (1 ex); Gwaldam (2 exs); Khali (2 exs); Pana (1 ex); Wan (3 exs).

**110. *Rhyacophila kangjongpa* Schmid, 1970**  
(Paratype)

India: Arunachal Pradesh: Kameng, Bokhar (1 ex.).

**111. *Rhyacophila kanichka* Schmid, 1959**

India: Uttarakhand: Bampa, 10,000 ft. (1 ex); Gangria, 10,000 ft. (15 exs); Malari 10,000 ft. (1 ex); Shapuk, 13,000 ft. (2 exs); Siunti (2 exs); Ukhali (4 exs).

112. *Rhyacophila kashongpa* Schmid, 1970  
 (Paratype)  
 India: Manipur: Sirohikashong (1 ex.).
113. *Rhyacophila kawachenpa* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Bokhar (2 exs), Domkho (3 exs), Kameng (2 exs), Lifakpo (5 exs), Nakhu (1 ex), Nyukmadong (1 ex), Salari (1 ex), Shergaon (5 exs). Sikkim: Gigaon (2 exs).
114. *Rhyacophila kedara* Schmid, 1970  
 (All Paratypes)  
 India: Uttarakhand: Gery (1 ex); Kanol (3 exs); Kulara (1 ex), Malari, 10000 ft (1 ex), Pana (2 exs), Ramni (1 ex), Timarsan (4 exs).
- 115 *Rhyacophila khamakhya* Schmid, 1970 (Paratype)  
 India: Tamil Nadu: Madras (now Chennai), Senbanganur (1 ex.).
116. *Rhyacophila khasiorum* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Kuljalong (1 ex); Lifakpo (1 ex); Langduar (1ex); Rupa (1 ex). Sikkim: Chongung (1 ex.); Hi (3 exs); Mangalbarey (1 ex.); Manu (1 ex.); Nyukmadong (1 ex); Singbeng (5 exs); Yugang (1 ex). Uttarakhand: Garhwal, Dhar (6 exs). West Bengal: Barahata (1 ex.).
117. *Rhyacophila khimbarpa* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Jhumla (2 exs).
118. *Rhyacophila khiympa* Schmid, 1970  
 (Paratype)  
 India: Sikkim: Tongsing (1 ex.).
119. *Rhyacophila lapsapa* Schmid, 1970  
 (Paratype)  
 India: Sikkim: Teng (1 ex.).
120. *Rhyacophila lepcha* Schmid, 1970  
 (All Paratypes)  
 India: Sikkim: Bop (2 exs); Chetang (1 ex); Lachung (4 exs); Manu (1 ex); Nanga (2 exs); Serbtang (1 ex); Yoksam (3 exs); Zamphuk (1 ex).
121. *Rhyacophila lhadzongpa* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Nyukmadong (1 ex); Rupa (5 exs); Shergaon (1 ex).
122. *Rhyacophila lhakpa* Schmid, 1970  
 (All Paratypes)  
 India: Uttaranchal: Dhar (1 ex); Hanumanchatti, (1 ex); Dawli (1 ex.); Suraithola (1 ex.).
123. *Rhyacophila lhopa* (Schmid, 1970)  
 (Paratype)  
 India: Tamil Nadu: Madras (now Chennai), Senbanganur, 1 ex.
124. *Rhyacophila maitripa* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Jhumla (4 exs.), Moshing (1 ex), Nyukmadong (1 ex.); Rahung (1 ex.).
125. *Rhyacophila manipuri* Schmid, 1970  
 (All Paratypes)  
 India: Manipur: Tangkhul, Hungdung (2 exs); Pamal (1 ex.).
126. *Rhyacophila manlungpa* Schmid, 1970  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Nyukmadong (2 exs); Talung Dzong (5 exs).
127. *Rhyacophila mishmica* Kimmins, 1953  
 India : Arunachal Pradesh: Kameng, Phutang (1 ex.).
128. *Rhyacophila mortoni* Kimmins, 1953  
 (All Paratypes)  
 India: Arunachal Pradesh: Kameng, Bomdila (1 ex). Meghalaya: U.J.K.H., Serrarim (1 ex.).
129. *Rhyacophila muktepa* Schmid, 1970  
 (All Paratypes)  
 India: Meghalaya: Laitynghat (1 ex); U.J.K.H. Larenshiaip (1 ex.).
130. *Rhyacophila nabochepa* Schmid, 1970  
 (All Paratypes)  
 India: Sikkim: Lachung (1 ex.), Yoksam (1 ex.).
131. *Rhyacophila naga* Schmid, 1970  
 (All Paratypes)  
 India: Manipur: Hkyumboum (3 exs).

132. *Rhyacophila nagongpa* Schmid, 1970  
(All Paratypes)  
India: Meghalaya: Syndai (2 exs); Umpuh (1 ex); U.J.K.H.Larenshiaip (1 ex).
133. *Rhyacophila nakpo* Schmid, 1970  
(All Paratypes)  
India : Manipur: Hkyumboum (2 exs).
134. *Rhyacophila namgyal* Schmid, 1970  
(Al Paratyp)  
India: Meghalaya: U.J.K.H Shillong, Myntang (1 Paratype).
135. *Rhyacophila ngorpa* Schmid, 1970  
(All Paratypes)  
India: Sikkim: Bop (1 ex); Manu (4 exs); Nanga (3 exs); Singbong (1 ex); Teng (4 exs); Yoksam (5 exs), Zamphuk (2 exs).
- 136 *Rhyacophila ngulpa* Schmid, 1970  
(All Paratypes)  
India:Uttarakhand: Pauri Garhwal: Gangria (1 ex); Rata (1 ex).
137. *Rhyacophila obscura* Martynov , 1927  
India: Uttarakhand: Pouri Garhwal, Gery (1 ex); Ghona (1 ex); Gwalmadam (1ex.); Harmal (20 exs); Loharket (1 ex); Malari,(1 ex); Sirkot (1 ex).
138. *Rhyacophila parva* Kimmins, 1953  
India: Meghalaya: U.J.K.H., Serrarim (1 ex).
139. *Rhyacophila paurava* Schmid, 1959  
India: Uttarakhand: Pouri Garhwal, Akhroikoli (1 ex); Dhut (1 ex); Gourikund (1 ex); Kanol (4 exs); Trijuginarayan (2 exs); Tungnath (2 exs); Ukhral (1 ex).
140. *Rhyacophila pemba* Schmid, 1970  
(All Paratypes)  
India: Meghalaya: U.J.K.H. Borghat (1 ex); Taranblang (3 exs)
141. *Rhyacophila poba* Schmid, 1970  
(All Paratypes)  
India: Sikkim: Gey (1 ex); Tangaling (6 exs).
142. *Rhyacophila polha* Schmid, 1970  
(Paratype)
- India: Arunachal Pradesh: Kameng, Domkho (1ex).
143. *Rhyacophila procliva* Kimmins, 1953  
India: Arunacha. 251 Pradesh: Kameng, Dirang Dzong (2 exs); Jhumla (1 ex); Nyukmadong (1 ex); Rehang (1ex); Talung Dzong (3 exs). Manipur: Hkyumboum (2 exs).
144. *Rhyacophila rhombica* Martynov, 1935  
(Holotype)  
India: West Bengal: Darjiling, 7000 ft. (1 ex).
145. *Rhyacophila rongpa* Schmid, 1970  
(All Paratypes)  
India: Arunachal Pradeh: Kameng, Jhumla (1 ex). Manipur: Chingsao (1 ex). Sikkim: Chumtang (1 ex); Lingtham (2 exs); Nanga (3 exs); Singbong (1 ex); Singhik (2 exs); Teng (1 ex). West Bengal: Gitdabing (1 ex); Labha (2 exs).
146. *Rhyacophila sakyapa* Schmid, 1970  
(All Paratypes)  
India: Uttarakhand: Pouri Garhwal, Binaikchatti (4 exs.); Dhar (1 ex); Khali (2 exs); Saran (1 ex); Trijuginarayan (1 ex); Tungnath (1 ex).
147. *Rhyacophila scissa* Morton, 1900  
India : Arunachal Pradesh: Kameng, Amatulla (5 exs); Bokhar (2 exs); Dirang Dzong (2 exs); Moshing (2 exs); Nizang (1 ex); Rohung (4 exs); Sherong (2 exs); Talung Dzong (1 ex). Meghalaya: U. J. K. H. Rumthang (1 ex); U. J. K. H. Umpuh (1 ex). Manipur: Chingsao (6 exs); Hkyumboum (1 ex); Leni (1 ex); Sirohikashong (17 exs). Sikkim: Chumtang (4 exs); Chongjam (1 ex); Dikchu (1 ex); Hi (1 ex); Lathong (8 exs); Lingdok (2 exs); Lingtham (8 exs); Manu (17 exs); Nanga (6 exs); Namgung (2 exs); Singhik (20 exs); Teng (13 exs); Tangsing (1 ex). West Bengal: Lohika (1 ex).
148. *Rhyacophila scissa niyampa* Schmid, 1970  
(All Paratypes)  
India: Manipur: Chingsao (2 exs); Sirohikashong (1 ex).
149. *Rhyacophila scissooides* Kimmins, 1953  
India: Sikkim: Chumtang (4 exs); Chongpong (1 ex); Dikchu (1 ex); Lingtham (1 ex); Nanga (6 exs); Poshek (1 ex); Samshong (1 ex); Teng (2 exs).

150. *Rhyacophila shakangpa* Schmid, 1970  
(Paratype).  
India: Uttarakhand: Almora, Chhana (1 ex).
151. *Rhyacophila sherchokpa* Schmid, 1970  
(All Paratypes)  
India: Arunachal Pradesh: Kameng: Chug (1 ex); Kujlalong (1 ex); Salam (3 exs); Shergaon (2 exs).
152. *Rhyacophila similis* Martynov, 1935  
(Type series)  
India: Uttarakhand: Garhwal, Ampata (1 ex); Paukal (1 ex); Rishikesh (1 ex), Rudra Prayag (1ex); Tehri (1ex). Uttar Pradesh: Agra (1 ex).
153. *Rhyacophila stenostyla* Martynov, 1930  
India: Sikkim: Chachu (1 ex.), Dolmasampa (1 ex.), Kaieg (2 exs.), Rongha (5 exs), Singha (1 ex.), Tailing (1 ex.), Thomphyak (7 exs.), Tangau (1 ex.), Yadang (4 exs.), Yamthang (4 exs.), Zama (1 ex.). Uttarakhand: Gangria, 10,000 ft (7 exs). Mandoli, 8000 ft (1 ex).
154. *Rhyacophila tecta* Morton, 1900  
India: Arunachal Pradesh: Kameng: Domkha (2 exs); Gigaon (12 exs); Shergaon (3 exs).
155. *Rhyacophila tengyelingpa* Schmid, 1970  
(Paratype)  
India: Sikkim: Lachen (1 ex).
156. *Rhyacophila tolungpa* Schmid, 1970  
(All Paratypes)  
India :Arunachal Pradesh: Kameng: Amatulla (1 ex.); Dirang Dzong (1 ex.). Sikkim: Dikchu (5 exs); Lingtham (8 exs); Mangalbarey (1 ex).
157. *Rhyacophila trulungpa*  
Schmid, 1970 (Paratype)  
India:Uttarakhand: Pouri Garhwal, Hilang (1 ex).
158. *Rhyacophila tshiringpa* Schmid, 1970  
(All Paratypes)  
India: Arunachal Pradesh: Kameng, Jhumla (1 ex); Nyukmadong (1 ex), Talung Dzong (1 ex). Sikkim: Chamiteng (4 exs.), Karpanong (2 exs.), Lachung (38 exs.); Namnasa (1ex).
159. *Rhyacophila tshogpa* Schmid, 1970  
(All Paratypes)  
India: Sikkim: Chumtang (3 exs); Nanga (2 exs); Singhik (2 exs); Teng (4 exs).
160. *Rhyacophila tsona* Schmid, 1970  
(All Paratypes)  
India: Manipur: Hkyumboum (2 exs); Pushing (2 exs); Sirohikashong (4 exs).
161. *Rhyacophila tsongkhapa* Schmid, 1970  
(All Paratypes)  
India: Sikkim: Tongsing (24 exs).
162. *Rhyacophila tungpa* Schmid, 1970  
(All Paratypes)  
India: Uttarakhand: Pouri Garhwal, Junglechatti (2 exs).
163. *Rhyacophila yarlungpa* Schmid, 1970  
(Paratype)  
India: Sikkim: Dikchu (1 ex).
164. *Rhyacophila yirongpa* Schmid, 1970  
(Paratype)  
India: Sikkim: Tashlong (1 ex).
165. *Rhyacophila yipung* Schmid, 1970  
(Paratype)  
India: Manipur: Longkpe (1 ex).
166. *Rhyacophila zhungpa* Schmid, 1970  
(All Paratypes)  
India: Sikkim: Chumtang (1 ex), Chungjam (1 ex), Lingdok (4 exs), Lingsaka (1 ex); Mangung (1 ex), Yoksam (1 ex).

#### ACKNOWLEDGEMENTS

The authors are grateful to the Director, Zoological Survey of India, Kolkata for providing the necessary Laboratory facilities to carry out the work on this project. They are thankful to Dr. R. M> sharma, Scientist-SE, Officer-in Charge, Zoological Survey of India, Western Regional Centre, PUne (Maharashtra) for going through the manuscript on Trichoptera critically and also for his valuable suggestions.

### REFERENCES

- Ghosh, S. K. and Chaudhury, M. 1987. A new species of *Eubasilissa* Martynov (Trichoptera: Phryganeidae) from India. *Bull. zool. Surv. India*, **8** (1-3): 185-186.
- Ghosh, S. K. and Chaudhury, M. 1992. Checklist of Indian Rhyacophilidae (Trichoptera). *Rec. zool. Surv. India*, **92** (1-4): 311-346.
- Ghosh, S. K. and Chaudhury, M. 1998. Insecta: Trichoptera. *Fauna of West Bengal, State Fauna Series*, **3**: (Part - 8): 1-25. (Published - Director, Zool. Surv. India, Calcutta).
- Ghosh, S. K. and Chaudhury, M. 2000. Insecta: Trichoptera. *Fauna of Meghalaya, State Fauna Series*, **4**: (Part - 7): 9-36. (Published - Director, Zool. Surv. India, Calcutta).
- Majumdar, M. 2003. Insecta: Trichoptera. *Fauna of Sikkim, State Fauna Series* **9**: (Part - 4): 343-368. (Published - Director, Zool. Surv. India, Kolkata).
- Majumdar, M. 2004. Insecta: Trichoptera. *Fauna of Manipur, State Fauna Series*, **10** : (Part - 2) : 597-603. (Published - Director, Zool. Surv. India, Kolkata).
- Morse, J. C. (ed.) 2009. Trichoptera World Checklist. <http://entweb.clemson.edu/database/trichopt/index.htm> (Accessed 02 July 2009).
- Morse, J. C. 2011. The Trichoptera World Checklist. *Zoosymposia* **5**: 372-380.
- Morse, J. C. (ed.) 2012. Trichoptera World Checklist. <http://entweb.clemson.edu/database/trichopt/index.htm> (Accessed 26 November, 2012)
- Saini, M. S., Kaur, M. and Bajwa, P. K. 2001. An updated check-list of the Indian Trichoptera along with an illustrated key to its families. *Rec. zool. Surv. India*, **99** (1-4): 201-256.
- Sharma, R. M. and Kailash Chandra, 2010. Checklist of Indian Caddisflies (Insecta: Trichoptera). 33 pp. (Email: rmsharma53@yahoo.in).